
TERMINATION DETAILS 1-4

PARASOLO ROOF MEMBRANE - INSULATED (ALL SYSTEMS)



LEGEND



PARASOLO FLEXSEAL CAULK GRADE SEALANT

COUNTER FLASHING (compression fit)


PARASOLO FLEXSEAL CAULK GRADE SEALANT

PARASOLO WATER-BLOCK SEALANT

PARAFAST LIP TERMINATION BAR (fastened 8 inches o.c.)

PARASOLO REINFORCED MEMBRANE (adhered with Parasolo Bonding Adhesive or Parasolo quickspray adhesive. See note #3)

REGLET COUNTER FLASHING TERMINATION



PARASOLO FLEXSEAL CAULK GRADE SEALANT

PARASOLO WATER-BLOCK SEALANT

METAL SURFACE MOUNTED COUNTER FLASHING

PARASOLO FLEXSEAL CAULK GRADE SEALANT

PARASOLO WATER-BLOCK SEALANT

PARAFAST LIP TERMINATION BAR


(fastened 8 inches o.c.)

PARASOLO REINFORCED MEMBRANE (adhered with Parasolo Bonding Adhesive or Parasolo Quick Spray Adhesive. See note #3)

SURFACE MOUNTED COUNTER FLASHING TERMINATION

PARASOLO FLEXSEAL CAULK GRADE SEALANT PARASOLO WATER-**BLOCK SEALANT** PARAFAST LIP **TERMINATION BAR** (fastened 8 inches o.c.) PARASOLO REINFORCED MEMBRANE (adhered with Parasolo Bonding Adhesive or Parasolo Quick Spray Adhesive. See note #3)

MECHANICAL TERMINATION



COPING STONE TERMINATION

- 1. THE METAL WORK SHOWN DEPICTS SHOP FABRICATION AND JOB-SITE ASSEMBLY. THESE COMPONENTS SHOULD BE DESIGNED/FABRICATED/INSTALLED ACCORDING TO GENERALLY ACCEPTED INDUSTRY PRACTICES, STANDARDS, AND APPROVALS.
- 2. REQUIREMENTS AND RECOMMENDATIONS DETAILED IN CURRENT SIPLAST SPECIFICATIONS SHALL APPLY IN ADDITION TO THE ABOVE DRAWING.
- PARASOLO BONDING ADHESIVE CAN BE USED UP TO A MAXIMUM FLASHING HEIGHT OF 54 INCHES. ADDITIONAL TERMINATION IS REQUIRED FOR FLASHING HEIGHTS ABOVE 54 INCHES WHEN PARASOLO BONDING ADHESIVE IS USED. CONTACT THE SIPLAST TECHNICAL DEPARTMENT FOR ADDITIONAL INFORMATION.

Scale: NTS

REF: TERMINATION DETAILS 1-4 - PARASOLO - INSULATED

14911 Quorum Drive, Suite 600 - Dallas, Texas - 75254 (800) 922-8800

www.siplast.com

Detail Number: DE-SP-36-05m

Rev: 06.08.2023

