

# PRO CATALYST



## Commercial Product Data Sheet

---

### **Product Description**

Pro Catalyst is a reactive agent used to induce curing of Parapro and Terapro liquid resins during priming and membrane application. Pro Catalyst is supplied as a white granular powder in pre-measured packets.

### **Packaging**

Pro Catalyst is available in boxes of 10 pre-measured 0.1-kg (3.2 oz) plastic bags. A 1-tablespoon measuring scoop is included in each box.

### **Storage**

Always store in cool and dry location. Do not store in direct sunlight or in temperatures below 32°F (0°C) or above 77°F (25°C).

### **Mixing & Catalyzing**

Thoroughly mix the entire drum of resin for 2-3 minutes before each use, and prior to pouring off resin into a second container if batch mixing. Add pre-measured catalyst to the resin component, and stir for 2 minutes using a slow-speed mechanical agitator or mixing stick.

The amount of Pro Catalyst added to Parapro and Terapro Resins is based on the weight of the resin used and varies with ambient temperature. Refer to individual resin product data sheets for specific recommendations and requirements for the resin being used. Catalyze only the amount of material that can be used within the resin's approximate pot life.

*Current copies of all Siplast Commercial Product Data Sheets are posted on the Siplast Web site at [www.Siplast.com](http://www.Siplast.com).*

Rev 9/08