

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

**Product name** : Pro Prep **Product Use Description** : Solvent

Manufacturer or supplier's details

Company

Address 1000 Rochelle Blvd.

Irving, TX 75062

**Emergency telephone number:** 

Transport North America: CHEMTREC 800.424.9300

**Additional Information:** : E-Mail: sds@siplast.com SDS

Requests: 800-922-8800 Website: www.siplast.com

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Flammable liquids : Category 2

Eye irritation : Category 2A

icity - single exposure

Specific target organ tox- : Category 3 (Central nervous system)

**GHS Label Element** 

Hazard pictograms



Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.



Precautionary statements : **Prevention:** 

P210 Keep away from heat, hot surfaces, sparks, open, flames and other ignition sources. No smoking. P233 Keep container tightly closed.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/

spray.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face

protection.

**Response:**P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

**Potential Health Effects** 

**Carcinogenicity:** 

**IARC** No component of this product present at levels greater

than or equal to 0.1% is identified as probable, possible

or confirmed human carcinogen by IARC.

**ACGIH** No component of this product present at levels greater

than or equal to 0.1% is identified as a carcinogen or

potential carcinogen by ACGIH.

**OSHA**No component of this product present at levels greater

than or equal to 0.1% is identified as a carcinogen or

potential carcinogen by OSHA.

NTP No component of this product present at levels greater

than or equal to 0.1% is identified as a known or antici-

pated carcinogen by NTP.

### **Emergency Overview**

Appearance	liquid
Color	clear, colorless
Odor	sweet, ester-like, fruit-like odor
Hazard Summary	No information available.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### **Hazardous components**

CAS-No.	Chemical Name	Concentration (%)
141-78-6	Ethyl acetate	90 - 100



#### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in

attendance.

Do not leave the victim unattended.

If inhaled : Consult a physician after significant exposure.

If unconscious place in recovery position and seek

medical advice.

In case of skin contact : If on skin, rinse well with water.

If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Never give anything by mouth to an unconscious

person.

If symptoms persist, call a physician.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing

media

: Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

: Do not allow run-off from firefighting to enter drains

or water courses.

Hazardous combustion

products

: No hazardous combustion products are known

Specific extinguishing

methods

: Use a water spray to cool fully closed containers.

Further information : Collect contaminated fire extinguishing water separately.

This must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local

regulations.

For safety reasons in case of fire, cans should be

stored separately in closed containments.



Special protective equipment for firefighters

: Wear self-contained breathing apparatus for

firefighting if necessary.

### NFPA Flammable and Combustible Liquids Classification:

Flammable Liquid Class IB

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Environmental precautions

: Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains

inform respective authorities.

Methods and materials for containment and cleaning up

: Contain spillage, and then collect with noncombustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national

regula- tions (see section 13).

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling

: Avoid formation of aerosol.

Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before

use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in

the application area.

Take precautionary measures against static

discharges.

Provide sufficient air exchange and/or exhaust in work

rooms.

Container may be opened only under exhaust

ventilation hood.

Open drum carefully as content may be under

pressure.

Dispose of rinse water in accordance with local and

national regulations.



Conditions for safe stor-

age

: No smoking.

Keep container tightly closed in a dry and well-

ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Observe label precautions.

Electrical installations / working materials must comply with the technological safety standards.

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## **Components with workplace control parameters**

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
141-78-6	Ethyl acetate	TWA	400 ppm	ACGIH
		TWA	400 ppm	NIOSH REL
			1,400 mg/m³	
		TWA	400 ppm	OSHA Z-1
			1,400 mg/m³	
		TWA	400 ppm	OSHA PO
			1,400 mg/m³	

### **Personal protective equipment**

Respiratory protection

: No personal respiratory protective equipment normally

required.

In the case of vapor formation use a respirator with

an approved filter.

Hand protection

Remarks : The suitability for a specific workplace should be

discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal

processing problems.

Skin and body protection : impervious clothing

Choose body protection according to the amount and

concentration of the dangerous substance at the work

place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.



#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : clear, colorless

Odor : sweet, ester-like, fruit-like odor

Odor Threshold : 3.9 ppm

pН : No data available

Freezing Point (Melting

point/range)

: -84 °C (-119 °F)

Boiling Point (Boiling

point/boiling range)

: 76.5 - 77.5 °C (169.7 - 171.5 °F)

: -3 °C (27 °F) Flash point

: 4.1 Evaporation rate

n-Butyl Acetate

Flammability (solid, gas) : No data available

Burning rate : No data available

Upper explosion limit : 11.5 %(V)

: 2.2 %(V) Lower explosion limit

Vapor pressure : 73 mmHg @ 20 °C (68 °F)

Relative vapor density : 3

Relative density : 0.902 @ 20 °C (68 °F)

Density : Approximate 0.902 g/ml @ 25 °C (77 °F)

: No data available Bulk density

Solubility(ies)

Water solubility : soluble

Solubility in other sol-

: No data available

vents

Partition coefficient: n-

octanol/water

: log Pow: 0.73

: 427 °C Auto-ignition temperature

Thermal decomposition : No data available



#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of

normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: Vapors may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Acute toxicity**

## Components:

141-78-6:

Acute oral toxicity : LD50 (rat): 5,620 mg/kg

Acute inhalation toxicity : LD L0 (rat, male and female): > 22.5 mg/l

Exposure time: 6 h Test atmosphere: vapor

Assessment: The substance or mixture is classified as

specific target organ toxicant, single exposure,

category 3 with narcotic effects.

Remarks: Not classified

Acute dermal toxicity : LD50 (rabbit): > 20,000 mg/kg

## Skin corrosion/irritation

#### **Components:**

141-78-6:

Species: rabbit

Result: Mild skin irritation

## Serious eye damage/eye irritation

#### **Product:**

Remarks: Contact with eyes may cause irritation.

### **Components:**

141-78-6:

Species: rabbit

Result: Irritating to eyes.

## Respiratory or skin sensitization



### **Components:**

141-78-6:

Species: quinea pig

Result: Did not cause sensitization on laboratory animals.

### Germ cell mutagenicity

#### **Components:**

141-78-6:

: Test Type: Ames test Genotoxicity in vitro

Test species: Salmonella typhimurium

Metabolic activation: with and without metabolic

activation

Method: OECD Test Guideline 471

Result: negative GLP: No data available

: Test Type: Chromosome aberration test in vitro Test species: Chinese hamster ovary (CHO) Metabolic activation: with and without metabolic

Method: OECD Test Guideline 473

Result: negative GLP: No data available

: Test Type: In vivo micronucleus test Genotoxicity in vivo

Test species: Chinese hamster (male and female)

Application Route: Oral Dose: 2500 mg/kg bw

Method: OECD Test Guideline 474

Result: negative GLP: No data available

Assessment

Germ cell mutagenicity- : Animal testing did not show any mutagenic effects.

### Carcinogenicity

#### Components:

141-78-6:

Species: mouse, (male and female)

Application Route: Intraperitoneal injection

Exposure time: 8 wk

Dose: 150 and 750 mg/kg bw/injection Frequency of Treatment: 3 days/week

Result: did not display carcinogenic properties

Carcinogenicity - As-

sessment

: Animal testing did not show any carcinogenic effects.



### Reproductive toxicity

#### Components:

141-78-6:

Effects on fertility : Test Type: Two-generation study

Species: mouse, male and female

Application Route: Oral

Dose: 5, 10 and 15% v/v in water

General Toxicity - Parent: NOAEL: 15 % diet General Toxicity F1: NOAEL: 10 % diet

Symptoms: reduced litter size Method: OECD Test Guideline 416

GLP: No data available

Remarks: Information given is based on data obtained

from similar substances.

Species: rat, male

Application Route: Inhalation
Dose: 350, 750, 1500 ppm
Duration of Single Treatment: 6 h
Frequency of Treatment: 5 days/week

General Toxicity - Parent: NOAEL: 1,500 ppm Result: Animal testing did not show any effects on

fertility. GLP: yes

Effects on foetal devel-

opment

: Species: rat

Application Route: Inhalation

Dose: 10,000, 16,000 or 20,000 ppm

General Toxicity Maternal: NOAEL: 16,000 ppm

Teratogenicity: NOAEL: > 20,000 ppm

Symptoms: No malformations were observed.

Method: OECD Test Guideline 414

GLP: No data available

Remarks: Information given is based on data obtained

from similar substances.

Reproductive toxicity -

Assessment

: No toxicity to reproduction

Animal testing did not show any effects on foetal

development.

**STOT - single exposure Product:** No data available



### **Components:**

141-78-6:

<b>Exposure routes:</b>	Target Organs:	Assessment:	Remarks:
Inhalation	Central nervous system	May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.	

## STOT - repeated exposure

**Product:** No data available

**Components:** 

**141-78-6:** No data available

Repeated dose toxicity

## Components:

141-78-6:

Species: rat, male and female

NOAEL: 900 mg/kg LOAEL: 3,600 mg/kg Application Route: Oral Exposure time: 90-92 d Number of exposures: daily

Dose: 0, 300, 900 and 3600 mg/kg bw

GLP: yes

Species: rat, male and female

NOAEL: 350 ppm

Application Route: Inhalation

Exposure time: 94 d

Number of exposures: 6 h/d, 5 d/wk

Dose: 0, 350, 750, 1500 ppm Symptoms: Local irritation

## **Aspiration toxicity**

#### **Product:**

No aspiration toxicity classification

### **Components:**

141-78-6:

No aspiration toxicity classification



#### **Further information**

#### **Product:**

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nau- sea and vomiting. Concentrations substantially above the TLV value may cause nar- cotic effects. Solvents may degrease the skin.

#### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

### **Components:**

141-78-6:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 220

mg/

Exposure time: 96 h

Toxicity to daphnia and

other aquatic inverte-

brates

: EC50 (Daphnia magna (Water flea)): 2,300 mg/l

Exposure time: 24 h

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)):

4,300 mg/l

Exposure time: 24 h

## Persistence and degradability

#### Components:

141-78-6:

Biodegradability : anaerobic

Inoculum: activated sludge Result: Readily biodegradable.

#### **Bioaccumulative potential**

### Components:

141-78-6:

Partition coefficient: n- : log Pow: 0.68 (25 °C)

octanol/water pH: 7

Mobility in soil

No data available

Other adverse effects

No data available



**Product:** 

Regulation 40 CFR Protection of Environment; Part 82 Protection

of Stratospheric Ozone - CAA Section 602 Class I Sub-

stances

Remarks This product neither contains, nor was manufactured

with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A

+ B).

Additional ecological in-

formation

: No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

### **Disposal methods**

Waste from residues : Dispose of in accordance with all applicable local,

state and federal regulations.

For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact NEXEO's Environmental Services

Group at 800-637-7922.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty

drum.

## **SECTION 14. TRANSPORT INFORMATION**

**IATA (International Air Transport Association)**: UN1173, ETHYL ACETATE, 3, II, Flash Point:-3 °C(27 °F)

IMDG (International Maritime Dangerous Goods): UN1173, ETHYL ACETATE, 3, II

**DOT (Department of Transportation)**: UN1173, ETHYL ACETATE, 3, II

#### **SECTION 15. REGULATORY INFORMATION**

**OSHA Hazards** : Flammable liquid, Moderate eye irritant

**WHMIS Classification** : B2: Flammable liquid

D2B: Toxic Material Causing Other Toxic Effects



### **EPCRA - Emergency Planning and Community Right-to-Know Act**

### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Ethyl acetate	141-78-6	5000	5000

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 : Fire Hazard

Hazards Acute Health Hazard

**SARA 302** : SARA 302: No chemicals in this material are subject

to the reporting requirements of SARA Title III,

Section 302.

**SARA 313** : SARA 313: This material does not contain any chemical

> components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

#### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI

Intermediate or Final VOC's (40 CFR 60.489):

141-78-6 Ethyl acetate 100 %

### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. Clean-Water Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

## **US State Regulations**

### **Massachusetts Right To Know**

141-78-6 90 - 100 % Ethyl acetate

Pennsylvania Right To Know

141-78-6 Ethyl acetate 90 - 100 %

**New Jersey Right To Know** 

141-78-6 Ethyl acetate 90 - 100 %



California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## The components of this product are reported in the following inventories:

The components of this product are reported in the ro		
1907/2006 (EU)	:	n (Negative listing) (Not in compliance with the inventory)
Switzerland. New notified substances and declared preparations	:	y (positive listing) (The formulation contains substances listed on the Swiss Inventory)
United States TSCA Inventory	:	y (positive listing) (On TSCA Invento- ry)
Canadian Domestic Substances List (DSL)		y (positive listing) (All components of this product are on the Canadian DSL.)
Australia Inventory of Chemical Substances (AICS)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
New Zealand. Inventory of Chemical Substances	:	y (positive listing) (On the inventory, or in compliance
		with the inventory)
Japan. ENCS - Existing and New Chemical Substances Inventory	••	y (positive listing) (On the inventory, or in compliance with the inventory)
Japan. ISHL - Inventory of Chemical Substances (METI)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
Korea. Korean Existing Chemicals Inventory (KECI)	:	y (positive listing) (On the inventory, or in compliance with the inventory)




Philippines Inventory of Chemicals and Chemical Substances (PICCS)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
China. Inventory of Existing Chemical Substances in China (IECSC)	:	y (positive listing) (On the inventory, or in compliance with the inventory)

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

#### NFPA:



#### **HMIS III:**

HEALTH	2*
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, \*

= Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

#### **Material number:**

16070932, 16048745, 16048744, 16062077, 16056067, 16056065, 16056064, 16056066, 16050526, 16036438, 16024430, 16024441, 16009108, 16003405, 785120, 764087, 726584, 699237, 554255, 546971, 547338, 546086, 70551, 53740, 52748, 69125, 56325, 173253, 86251, 53383, 103687, 86144, 53493, 56150, 86498, 85506, 508311, 508293, 20398, 20397, 20396, 20395, 20394, 20393, 20392



Key or le	gend to abbreviations and ac	ronyms use	ed in the safety data sheet
ACGIH	American Conference of Gov-	LD50	Lethal Dose 50%
	ernment Industrial Hygienists		
AICS	Australia, Inventory of	LOAEL	Lowest Observed Adverse Effect
	Chemical Substances		Level
DSL	Canada, Domestic	NFPA	National Fire Protection Agency
	Substances List		
NDSL	Canada, Non-Domestic	NIOSH	National Institute for Occupational
	Substances List		Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure	OSHA	Occupational Safety & Health Admin-
	Scenario Tool		istration
EOSCA	European Oilfield Specialty	PEL	Permissible Exposure Limit
	Chemicals Association		
EINECS	European Inventory of Exist-	PICCS	Philipines Inventory of Commercial
	ing Chemical Substances		Chemical Substances
MAK	Germany Maximum Concen-	PRNT	Presumed Not Toxic
	tration Values		
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and
			Reauthorization Act.
IARC	International Agency for Re-	TLV	Threshold Limit Value
	search on Cancer		
IECSC	Inventory of Existing Chemi-	TWA	Time Weighted Average
	cal Substances in China		
ENCS	Japan, Inventory of Existing	TSCA	Toxic Substance Control Act
	and New Chemical Substanc-		
	es		<del>                                     </del>
KECI	Korea, Existing Chemical In-	UVCB	Unknown or Variable
	ventory		Composition, Complex Reaction
		NAME IN A T.C.	Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials
1.050		1 11 1 6	Information System
LC50 Lethal Concentration 50%			