

SAFETY DATA SHEET

1. Identification

Product identifier STREETBOND COLORANT TRUFFLE

Other means of identification

Product Code

Recommended use Colorant.

Manufacturer/Importer/Supplier/Distributor information

Distributor

Company name Siplast

1000 Rochelle Blvd.

Irving, TX 75062 USA

Telephone 1-800–922–8800

Emergency phone number CHEMTREC [DAY OR NIGHT] 1-800-424-9300

Within USA and CANADA 1-800-424-9300
Outside USA and Canada: 1-703-741-5970

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Carcinogenicity Category 2

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements None.

Hazard symbol

Signal word None.

Hazard statement Not available.

Precautionary statement

Prevention Not available.

Response Not available.

Storage Not available.

Disposal Not available.

Hazard(s) not otherwise None known.

alassified (LNCC)

classified (HNOC)

Supplemental information None.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|------------------|--------------------------|------------|-----------|
| Titanium Dioxide | | 13463-67-7 | 50 to <60 |
| Propylene Glycol | | 57-55-6 | 5 to <10 |
| Silicate | | 14807-96-6 | 1 to <5 |
| Carbon Black | | 1333-86-4 | 0.1 to <1 |

Material name: STREETBOND COLORANT TRUFFLE Version #: 01 Revision date: 5/03/2019

PARAFFINIC PETROLEUM OIL

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop orp Wash off with soap and water. Get medical attention if irritat Skin contact Eye contact Rinse with water. Get medical attention if irritation develops Rinse mouth. Get medical attention if symptoms occur. Ingestion Most important Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and

delayed

Indication of immediate Provide general supportive measures and treat symptomati

Symptoms may be delayed. medical attention and special

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Do not use water jet as an extinguisher, as

this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be

formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of

fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid prolonged exposure. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage. including any incompatibilities

Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Material name: STREETBOND COLORANT TRUFFLE Version #: 01 Revision date: 5/03/2019

8. Exposure controls/personal protection

Occupational exposure limits

| US. OSHA Table | Z-1 Limits for Ai | r Contaminants | (29 CFR 1910.1000) |
|----------------|-------------------|----------------|--------------------|
|----------------|-------------------|----------------|--------------------|

| Components | Туре | Value | Form |
|---|---------------------------|-----------------------|----------------------|
| Carbon Black (CAS 1333-86-4) | PEL | 3.5 mg/m ³ | |
| Titanium Dioxide (CAS 13463-67-7) | PEL | 15 mg/m3 | Total dust. |
| US. OSHA Table Z-3 (29 CFR 1910. | 1000) | | |
| Components | Туре | Value | Form |
| Silicate (CAS 14807-96-6) | TWA | 0.3 mg/m ³ | Total dust. |
| | | 0.1 mg/m ³ | Respirable. |
| | | 20 mppcf | |
| | | 2.4 mppcf | Respirable. |
| US. ACGIH Threshold Limit Values | | | _ |
| Components | Туре | Value | Form |
| Carbon Black (CAS 1333-86-4) | TWA | 3 mg/m ³ | Inhalable fraction. |
| PARAFFINIC PETROLEUM OIL (CAS 64742-54-7) | TWA | 5 mg/m³ | Inhalable fraction. |
| Silicate (CAS 14807-96-6) | TWA | 2 mg/m³ | Respirable fraction. |
| Titanium Dioxide (CAS 13463-67-7) | TWA | 10 mg/m ³ | · |
| JS. NIOSH: Pocket Guide to Chem | ical Hazards | | |
| Components | Туре | Value | Form |
| Carbon Black (CAS 1333-86-4) | TWA | 0.1 mg/m ³ | |
| Silicate (CAS 14807-96-6) | TWA | 2 mg/m³ | Respirable. |
| JS. Workplace Environmental Exp | osure Level (WEEL) Guides | | |
| Components | Туре | Value | Form |
| Propylene Glycol (CAS 57-55-6) | TWA | 10 mg/m ³ | Aerosol. |

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Appropriate engineering

controls

Not available.

Individual protection measures, such as personal protective equipment

Not available. Eye/face protection

Skin protection

Not available. Hand protection Other Not available. **Respiratory protection** Not available. Thermal hazards Not available.

9. Physical and chemical properties

Appearance

Solid. **Physical state Form** Not available. Color Not available. Not available. Odor Not available. **Odor threshold** Not available. Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Flash point Not available. Not available. **Evaporation rate** Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Explosive limit - lower (%)

Not available.

Not available.

(%)

Explosive limit - upper (%) Not available.

Not available. Vapor pressure Vapor density Not available. Not available. Relative density

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Density16.76 lbs/galFlammability classNot available.Percent volatile61.69 %Specific gravity2.01

VOC 297.013993 g/l Regulatory estimated

2.478628 lbs/gal Regulatory estimated 160.081616 g/l Material estimated 1.335906 lbs/gal Material estimated

10. Stability and reactivity

Reactivity

Chemical stability

Possibility of hazardous

reactions

Not available.

Not available.

Conditions to avoidNot available.Incompatible materialsNot available.Hazardous decompositionNot available.

products

11. Toxicological information

Information on likely routes of exposure

InhalationNot available.Skin contactNot available.Eye contactNot available.IngestionNot available.Symptoms related to theNot available.

physical, chemical and toxicological characteristics

Information on toxicological effects

Acute toxicity

| Components | Species | Test Results |
|-----------------------------------|----------------|--------------|
| Carbon Black (CAS 1333-86-4) | | |
| <u>Acute</u> | | |
| Oral | | |
| LD50 | Rat | > 8000 mg/kg |
| Propylene Glycol (CAS 57-55-6 | 5) | |
| <u>Acute</u> | | |
| Oral | | |
| LD50 | Guinea pig | 18.4 g/kg |
| | Mouse | 23.9 g/kg |
| | Rabbit | 18 g/kg |
| | Rat | 30 g/kg |
| Skin corrosion/irritation | Not available. | |
| Serious eye damage/eye irritation | Not available. | |
| Respiratory or skin sensitizat | ion | |

Respiratory sensitization Not available. Not available. Skin sensitization Not available. Germ cell mutagenicity

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon Black (CAS 1333-86-4) 2B Possibly carcinogenic to humans. Titanium Dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

PARAFFINIC PETROLEUM OIL (CAS 64742-54-7) Known To Be Human Carcinogen.

Not available. Reproductive toxicity Specific target organ toxicity -Not available.

single exposure

Specific target organ toxicity -

repeated exposure

Not available.

Not available. **Aspiration hazard**

12. Ecological information

Ecotoxicity

Components **Species Test Results** Propylene Glycol (CAS 57-55-6) Aquatic Crustacea EC50 Water flea (Daphnia magna) > 10000 mg/l, 48 hours Fish LC50 Fathead minnow (Pimephales promelas) 710 mg/l, 96 hours Titanium Dioxide (CAS 13463-67-7) Aquatic EC50 Crustacea Water flea (Daphnia magna) > 1000 mg/l, 48 hours Fish LC50 Mummichog (Fundulus heteroclitus) > 1000 mg/l, 96 hours

Persistence and degradability Not available. **Bioaccumulative potential** Not available.

Partition coefficient n-octanol / water (log Kow)

Propylene Glycol -0.92

Mobility in soil Not available. Not available. Other adverse effects

13. Disposal considerations

Disposal instructions Not available. Hazardous waste code Not regulated. Waste from residues / unused Not available. products

Not available. Contaminated packaging

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

US federal regulations

Not available.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Carbon Black (CAS 1333-86-4)

PARAFFINIC PETROLEUM OIL (CAS 64742-54-7)

Silicate (CAS 14807-96-6)

Titanium Dioxide (CAS 13463-67-7)

US. Massachusetts RTK - Substance List

Carbon Black (CAS 1333-86-4)

Silicate (CAS 14807-96-6)

Titanium Dioxide (CAS 13463-67-7)

US. New Jersey Worker and Community Right-to-Know Act

Carbon Black (CAS 1333-86-4)

Propylene Glycol (CAS 57-55-6)

Silicate (CAS 14807-96-6)

Titanium Dioxide (CAS 13463-67-7)

US. Pennsylvania Worker and Community Right-to-Know Law

Carbon Black (CAS 1333-86-4)

Propylene Glycol (CAS 57-55-6)

Silicate (CAS 14807-96-6)

Titanium Dioxide (CAS 13463-67-7)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Carbon Black (CAS 1333-86-4) Listed: February 21, 2003 Titanium Dioxide (CAS 13463-67-7) Listed: September 2, 2011

International Inventories

Country(s) or region Inventory name On inventory (yes/no)*

Australia Australian Inventory of Chemical Substances (AICS)

Yes

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|----------------------|--|------------------------|
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | No |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | No |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information, including date of preparation or last revision

Revision date 5/03/2019

Version # 01

HMIS® ratings Health: 1*

Flammability: 2 Physical hazard: 0

NFPA ratings Health: 0

Flammability: 2 Instability: 0

DisclaimerThis information relates to the specific material designated and may not be valid for such material

used on combination with any other materials or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However, no representation, warranty or guarantee, expressed or implied, is made as to its accuracy, reliability, or completeness. Siplast cannot anticipate all conditions under which this information and product, or the products of other manufacturers in combination with this product, may be used. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his particular use. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. We do not accept liability for any loss or damage that may occur from the use of this information. Nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a

license of valid patents.

Revision Information Product and Company Identification: Converted to Siplast SDS

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).