Parabit Solo Hot Melt Membrane by Icopal Limited

CLASSIFICATION: 07 14 13.00

PRODUCT DESCRIPTION: PARABIT SOLO HOT MELT MEMBRANE IS AN SBS MODIFIED BITUMEN WATERPROOFING MEMBRANE SPECIFICALLY INTENDED FOR INVERTED ROOF APPLICATIONS. USED IN CONJUNCTION WITH A REINFORCEMENT AND BITUMEN CAPSHEET, THE HOT APPLIED COMPOUND FORMS AN EXTREMELY DURABLE AND MONOLITHIC MEMBRANE WHICH IS FULLY BONDED TO THE SUBSTRATE.

Health Product Declaration v2.0

created via: HPDC Online Builder

Section 1: Summary

CONTENT INVENTORY

Threshold per material
- (●) 100 ppm
- ( ) 1,000 ppm
- ( ) Per GHS SDS
- ( ) Per OSHA MSDS
- ( ) Other

Residuals and impurities considered in 1 of 1 materials
- (●) see Section 2: Material Notes
- (●) see Section 5: General Notes

Based on the selected Content Inventory Threshold:

Characterized..... Are the Percent Weight and Role provided for all substances?	(●) Yes	( ) No
Screened..... Are all substances screened using Priority Hazard Lists with results disclosed?	(●) Yes	( ) No
Identified..... Are all substances disclosed by Name (Specific or Generic) and Identifier?	(●) Yes	( ) No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | **SUBSTANCE** | *RESIDUAL OR IMPURITY*
GREENSCREEN SCORE | HAZARD TYPE

PARABIT SOLO HOT MELT MEMBRANE [ASPHALT LT-1 | CAN STYRENE BUTADIENE RUBBER (SBR) LT-UNK]

Number of Greenscreen BM-4/BM3 contents..... 0

Contents highest concern GreenScreen Benchmark or List translator Score..... LT-1

Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE

No certifications have been added to this HPD.

(●) Self-Published*	VERIFIER:	SCREENING DATE: June 14, 2017	EXPIRY DATE*: June 14, 2020
( ) Third Party Verified	VERIFICATION #:	RELEASE DATE: June 19, 2017	* or within 3 months of significant change in product contents

See HPDC website for details

Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

PARABIT SOLO HOT MELT MEMBRANE **%: 100.0000 - 100.0000** **HPD URL:**

Inventory Threshold: 100 ppm Residuals Considered: Yes

Material Notes:

ASPHALT ID: 8052-42-4

%: 90.0000 - 95.0000	GS: LT-1	RC: None	NANO: NO	ROLE: Membrane Layer

HAZARDS:		**AGENCY(IES) WITH WARNINGS:**
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man

SUBSTANCE NOTES:

STYRENE BUTADIENE RUBBER (SBR) ID: 9003-55-8

%: 5.0000 - 10.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Flexibility

HAZARDS:	**AGENCY(IES) WITH WARNINGS:**
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

PARABIT SOLO REINFORCING GRID **HPD URL: No HPD link provided**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Parabit Solo Reinforcing Grid is an interwoven, open grid glass fibre reinforcement encapsulated within the Parabit Hot Melt Compound during installation.

ROOTBAR MINERAL CAPSHEET **HPD URL: No HPD link provided**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Rootbar Mineral Capsheet is an SBS modified, polyester reinforced bituminous waterproofing capsheet surfaced with mineral slate granules with root inhibiting properties, typically used at details.

ROOTBAR SANDED CAPSHEET **HPD URL: No HPD link provided**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Rootbar Sanded Capsheet is an SBS modified, polyester reinforced bituminous waterproofing capsheet surfaced in sand with root inhibiting properties typically used within the field area and embedded into the Parabit Hot Melt Compound during installation.

XTRA-SEAL QD BITUMEN PRIMER **HPD URL: No HPD link provided**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Surface primer to be used on substrates prior to the application of the Parabit Hot Melt Membrane.

SIPLAST PRIMER **HPD URL: No HPD link provided**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Surface primer to be used on substrates prior to the application of the Parabit Hot Melt Membrane.

POWER ELASTOMERIC 250 SANDED **HPD URL: No HPD link provided**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Power Elastomeric 250 Sanded Capsheet is an SBS modified, polyester reinforced bituminous waterproofing capsheet surfaced with sand.

THERMAWELD MINERAL CAPSHEET **HPD URL: No HPD link provided**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Thermaweld Mineral Capsheet is an SBS modified, polyester reinforced bituminous waterproofing capsheet surfaced with mineral slate granules.

Section 5: General Notes

Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: Icopal Limited

ADDRESS: Barton Dock Road
Stretford
Manchester, Lancashire M32 0YL
United Kingdom

WEBSITE: www.icopal.co.uk

CONTACT NAME: Simon Ashworth

TITLE: Product Manager

PHONE: +44 (0)1618654444

EMAIL: simon.ashworth@icopal.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity
CAN Cancer
DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity
GEN Gene mutation
GLO Global warming
MAM Mammalian/systemic/organ toxicity
MUL Multiple hazards
NEU Neurotoxicity
OZO Ozone depletion
PBT Persistent Bioaccumulative Toxic
PHY Physical Hazard (reactive)
REP Reproductive toxicity
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
LAN Land Toxicity
NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspeci ed (insu cient data to benchmark)
LT-P1 List Translator Possible Benchmark 1
LT-1 List Translator Likely Benchmark 1
LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
UNK Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party)
Independent Lab Manufacturer's self-declaration using results from an independent lab
Second Party Verification by trade association or other interested party
Third Party Verification by independent certifier
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.