

# Declare. SM

---

## Paratherm<sup>®</sup> NH HD Polyiso Siplast

**Final Assembly:** Statesboro, Georgia, USA; Cedar City, Utah, USA; Gainesville, Texas, USA; New Columbia, Pennsylvania, USA; Peru, Illinois, USA

**Life Expectancy:** 25 Year(s)

**End of Life Options:** Salvageable/Reusable in its Entirety

### Ingredients:

---

**Facer:** Limestone; Acrylic Polymer; Glass Fiber; **Foam:** Polyisocyanurate Foam; **Blowing Agent:** Iso-Pentane; n-Pentane; **Catalyst 1:** Hexanoic acid, 2-ethyl-, potassium salt; **Catalyst 2:** Potassium Acetate; **Catalyst 3:** Pentamethyldiethylenetriamine; **Surfactant:** 1,2-Propanediol, Polymer with Ethyloxirane and Oxirane, Potassium Salt

**Living Building Challenge Criteria:** Compliant

---

### I-13 Red List:

- |   |                             |
|---|-----------------------------|
| <input checked="" type="checkbox"/> LBC Red List Free | % Disclosed: 100% at 100ppm |
| <input type="checkbox"/> LBC Red List Approved        | VOC Content: Not Applicable |
| <input type="checkbox"/> Declared                     |                             |

**I-10 Interior Performance:** CDPH Standard Method v1.2-2017

**I-14 Responsible Sourcing:** Not Applicable

SIP-0003

EXP. 01 SEP 2026

Original Issue Date: 2024