# **ParaGREEN™ Wind Anchor**

## **Commercial Product Data Sheet**



#### **Description:**

ParaGREEN™ Wind Anchors are used in conjunction with ParaGREEN™ Erosion Control Mats and ParaGREEN™ Wind Uplift Mats to stabilize and hold growing media and plant material in place on windy rooftops. They are comprised of recycled polypropylene base discs, retention discs, and connecting shafts.

Contact Siplast for additional information on approved product uses.

#### **Uses: Vegetated Assemblies**

Material	100% Recycled Preconsumer Polypropylene
Shaft Height	12 in. or 18 in. (0.30 m or 0.46 m)
Adjustable Shaft Height	2 in. – 12 in. (0.05 m – 0.30 m) or 2 in. – 18 in. (0.05 m – 0.46 m)
Wind Resistance	Retention Discs resist pulling from Shaft up to 60 – 100 N of direct force

LEED Information	
Recycled Content (% by weight)	Manufacture Location
100%	Murfreesboro, TN



### **Storage and Handling:**

All Siplast ParaGREEN™ products should be stored horizontally on a clean, flat surface. All roofing products should be stored in a dry place out of direct exposure to the elements and kept away from excessive heat, fire, or open flames.

See product packaging and the Safety Data Sheet for specific information on the safe handling of this product.

# Packaging:

■ Pieces Per Box: 100

■ Pieces Per Skid: 800 (8 Boxes of 100)