

# WASTE STACK

## PORCELAIN PAVERS - CONVENTIONAL

PORCELAIN PAVER ADHERED TO PAVER  
GRATE WITH APPROVED ADHESIVE

PAVER GRATE ON PEDESTALS

PEDESTAL SYSTEM

PROTECTION COURSE

SIPLAST WATERPROOFING  
MEMBRANE

COVER BOARD

INSULATION

1" MIN.

SEALANT

SUBSTRATE

### NOTES:

1. REQUIREMENTS AND RECOMMENDATIONS DETAILED IN CURRENT SIPLAST SPECIFICATIONS AND SYSTEM SPECIFIC DETAILS SHALL APPLY IN ADDITION TO THE ABOVE DRAWING.
2. DESIGNER OF RECORD TO VERIFY CAPACITY OF DECK/SUBSTRATE TO ACCOMMODATE LOAD OF THE OVERBURDEN COMPONENTS.

CAUTION: SIPLAST RECOMMENDS THAT ALL PRACTICES PERTAINING TO INDUSTRY STANDARD TORCH SAFETY REQUIREMENTS AND GUIDELINES BE FOLLOWED. THIS INCLUDES PERFORMING A FIRE WATCH FOLLOWING ANY TORCH APPLICATIONS. ALWAYS HAVE APPROVED FIRE EXTINGUISHING EQUIPMENT NEARBY WHEN USING A TORCH.

Scale: NTS

REF: WASTE STACK - PORCELAIN PAVERS - CONVENTIONAL

Detail Number:

DE-7407J2



14911 Quorum Drive, Suite 600 - Dallas, Texas - 75254 (800) 922-8800

www.siplast.com

Rev: 05.14.2024