

WASTE STACK PORCELAIN PAVERS - IRMA

PORCELAIN PAVER ADHERED TO PAVER
GRATE WITH APPROVED ADHESIVE

PAVER GRATE ON PEDESTALS

PEDESTAL SYSTEM

INSULATION

PARADRAIN DRAIN MAT
(OPTIONAL)

SIPLAST WATERPROOFING
MEMBRANE

SEALANT

SUBSTRATE

NOTES:

1. REQUIREMENTS AND RECOMMENDATIONS DETAILED IN CURRENT SIPLAST SPECIFICATIONS AND SYSTEM SPECIFIC DETAILS SHALL APPLY IN ADDITION TO THE ABOVE DRAWING.
2. DESIGNER OF RECORD TO VERIFY CAPACITY OF DECK/SUBSTRATE TO ACCOMMODATE LOAD OF THE OVERBURDEN COMPONENTS.

CAUTION: SIPLAST RECOMMENDS THAT ALL PRACTICES PERTAINING TO INDUSTRY STANDARD TORCH SAFETY REQUIREMENTS AND GUIDELINES BE FOLLOWED. THIS INCLUDES PERFORMING A FIRE WATCH FOLLOWING ANY TORCH APPLICATIONS. ALWAYS HAVE APPROVED FIRE EXTINGUISHING EQUIPMENT NEARBY WHEN USING A TORCH.

Scale: NTS

REF: WASTE STACK - PORCELAIN PAVERS - IRMA

Detail Number:
DE-7408K2



14911 Quorum Drive, Suite 600 - Dallas, Texas - 75254 (800) 922-8800

www.siplast.com

Rev: 05.08.2024