


CITY, STATE, ZIP:

PARAGUARD EXTRUDED EDGE AT FASCIA

EXTENDED VERSION

ANSI/SPRI ES-1 DESIGN PRESSURE OF 176 psf



NOTE: 35/ SPLICE PLATES PROVIDED AT ALL JOINTS PARAGUARD EXTRUDED EDGE MATERIAL: AT FASCIA DIMENSIONS **PRODUCT** Χ 22 GA. GALV. STEEL .063" ALUMINUM ID. NO. DIM DIM AEFM-85 8 1/2" 7 1/4" .050" ALUMINUM OTHER AEFM-100 10" 8 3/4" AEFM-115 11 1/2" 10 1/4" COLOR:___ _ FINISH:___ ☐ AEFM-130 13" 11 3/4" **OUANTITIES:** Fabrication will proceed only after receipt of signed print approval. __ LINEAL FEET 12'-0" LENGTHS Print Approval: OUTSIDE MITER(S) @ 90° INSIDE MITER(S) @ 90° Contractor shall verify all dimensions, sizes _____ OVERFLOW SCUPPER(S) STYLE____A B and quantities. All products to be installed in _____ SPILLOUT SCUPPER(S) STYLE___A___B strict accordance with Siplast's printed instructions. _____ DOWNSPOUT SCUPPER(S) STYLE____A___B Approved by: B: FLAT Date: FOR NON-90 MITERS SEE PRINT APPROVAL #44010-15636 PROJECT: PHONE: 800-922-8800 ROOFING CONTRACTOR: SHIP TO ADDRESS: EMAIL: PGUARD@SIPLAST.COM

DATE: 12/07/18

DRN BY: JJC

CKD BY: SAK

SHT.#

DWG# 44010-15638

OF